


HOMSO 雄塑®






2018
HOMSO
product catalogue


PVC

Conduit, Trunking and Fittings



CONTACT US

 WWW.XIONGSU.CN	 0757-86518888
 gdxs@xionsu.cn	



PVC Trunking (Grade A)
Color: White

O.D. (mm)	Length (m)	Pcs (Bundle/Box)
10x20	2-4	105
14x24	2-4	78
15x30	2-4	68
19x39	2-4	60
22x59	2-4	48
27x99	2-4	49
40x99	2-4	56

PVC Trunking (Grade B)
Color: White

O.D. (mm)	Length (m)	Pcs (Bundle/Box)
10x20	2-4	105
14x24	2-4	78
15x30	2-4	68
19x39	2-4	60
22x59	2-4	48
27x99	2-4	49
40x99	2-4	56

PVC Trunking (Grade C)
Color: White

O.D. (mm)	Length (m)	Pcs (Bundle/Box)
10x20	2-4	105
14x24	2-4	78
15x30	2-4	68
19x39	2-4	60
22x59	2-4	48
27x99	2-4	49

PVC Wire Conduit (Heavy-duty Pipe)
Color: Red,Blue,White

O.D. (mm)	Length (m)	Pcs (Bundle/Box)
16	2-4	80
20	2-4	60
25	2-4	50
32	2-4	60
40	2-4	40
50	2-4	50


PVC Wire Conduit (Medium-duty Pipe)
Color: Red,Blue,White

O.D. (mm)	Length (m)	Pcs (Bundle/Box)
16	2-4	80
20	2-4	60
25	2-4	50
32	2-4	60
40	2-4	40
50	2-4	50

PVC Wire Conduit (Light-duty Pipe)
Color: Red,Blue,White


O.D. (mm)	Length (m)	Pcs (Bundle/Box)
16	2-4	80
20	2-4	60
25	2-4	50
32	2-4	60
40	2-4	40
50	2-4	50
60	2-4	

Flat Angle




Size (mm)	L (mm)	L1 (mm)
20x10	42	36
24x14	50	43
39x19	68	60
59x22	91	84
99x27	75	69
99x40	137	127
25x50	74	65
30x40	62	53

Flat Angle




Size (mm)	L (mm)	L1 (mm)
30x60		
40x50	74	65
40x60	87	76
40x80		
50x80	109	99
50x100	132.5	122
60x100	136	124

Internal Angle




Size (mm)	L (mm)	L1 (mm)
20x10	30	24
24x14	38	32
39x19	48	40
59x22	58	50
99x27	75	67
99x40	93	83
25x50	46	36
30x40	49	40

Internal Angle




Size (mm)	L (mm)	L1 (mm)
30x60		
40x50	61	52
40x60	64	54
40x80		
50x80	76	66
50x100	97	86
60x100		

External Angle




Size (mm)	L (mm)	L1 (mm)
20x10	32	26
24x14	38	32
39x19	48	40
59x22	52	45
99x27	71	63
99x40	79	69
25x50	46	36
30x40		

External Angle




Size (mm)	L (mm)	L1 (mm)
30x60	64	54
40x50	66	55
40x60	76	66
40x80	92	82
50x80		
50x100		
60x100		

Flat Tee




Size (mm)	L (mm)	L1 (mm)	L2 (mm)
20x10	63	51	37
24x14	72	60	47
39x19	86	74	62
59x22	122	106	90
99x27	159	143	128
99x40			
25x50	94	77	72
30x40			

Flat Tee




Size (mm)	L (mm)	L1 (mm)	L2 (mm)
30x60	110	90	85
40x50			
40x60	135	114	107
40x80	161	139	131
50x80	165	141	133
50x100			
60x100			

Middle-to-Small Tee




Size (mm)
39x19/24x14
59x22/39x19
99x27/59x22
40x60/30x60
40x60/40x50
40x80/40x50
40x80/40x60
50x80/40x80

Middle-to-Small Tee




Size (mm)
60x100/40x60
60x100/50x80

Middle-to-Big Tee




Size (mm)
24x14/39x19
39x19/59x22
59x22/99x27
25x50/30x60
30x40/40x50
30x40/40x60
40x50/40x80
40x60/50x80

Middle-to-Big Tee




Size (mm)
40x60/60x100

Coupling




Size (mm)	L (mm)	L1 (mm)
24x14	28	16
39x19	44	32
59x22		
99x27	103	88
99x40		
25x50		
30x40		
30x60		

Coupling




Size (mm)	L (mm)	L1 (mm)
40x50		
40x60	65	45
40x80		
50x80	85	63
50x100	100	78
60x100		

Box-Style Flat Tee




Size (mm)	L (mm)	L1 (mm)
24x14	78	54
39x19	102	74
59x22	120	95
99x27		
99x40		
40x60		
40x80		
50x80		

Box-Style Flat Tee




Size (mm)	L (mm)	L1 (mm)
60x100		

Reducer




Size (mm)	L (mm)	L1 (mm)
39x19/24x14	48	38
59x22/24x14		
59x22/39x19	55	43
99x27/59x22		
40x60/30x60		
40x60/40x50		
40x80/40x50		
40x80/40x60		

Reducer




Size (mm)	L (mm)	L1 (mm)
50x80/40x80		
60x100/40x60		
60x100/50x80		

Stop End




Size (mm)	L (mm)	L1 (mm)
24x14	35	5
39x19	58	6
59x22	66	7
99x27	76	8
99x40		
25x50		
30x40		
30x60		

Stop End



Size (mm)	L (mm)	L1 (mm)
40x50		
40x60	76	10
40x80	82	12
50x80	86	12
50x100	100	12
60x100	91	12

Coupling




Size (mm)	L (mm)	L1 (mm)
16	36	17
20	41	20
25	46	22
32	50	24
40	55	27
50		
60	61	28.5

**Male Adapter
(for corrugated conduit)**



Size (mm)	L1 (mm)	L2 (mm)	M (mm)
16	46	3	M19.9X1.5
20	52	3	M19.9X1.5
25	56	3	M24.5X1.5
32	59	3	M31.5X1.5

Clamp




Size (mm)	H (mm)	L (mm)	D (mm)
16	15.5	22	8
20	17	26	8
25	20.5	31	8
32	23.5	38	8
40	27	47	8

Flexible Coupling




Size (mm)	L1 (mm)	L2 (mm)	M (mm)
16	28	3	M19.9X1.5
20	33	3	M19.9X1.5
25	38.5	3	M24.5X1.5
32	47	3	M31.5X1.5
40	49	3	M39.4X1.75
50	52	3	M49.5X1.75

90° Elbow



Size (mm)	L1 (mm)	Z (mm)
16	18.5	9
20	20	13
25	23	16.5
32	25	21.5
40	25	23
50	26	25
60	28	28

Tee




Size (mm)	L1 (mm)	Z (mm)
16		
20	25	11
25	25	15
32	25	20.5
40	23.5	28
50		
60		

Reducer




Size (mm)	L (mm)	L1 (mm)	L2 (mm)
20x16	33	17	14.5
25x20	40	20.5	18
32x20	43	23	18
32x25			
40x32			
50x32			
50x40			
60x40			

Reducer




Size (mm)	L (mm)	L1 (mm)	L2 (mm)
60x50			

1 Way Terminal Box(with cover)



Size (mm)	H (mm)	H1 (mm)	S1 (mm)	S2 (mm)	L1 (mm)
65x16	36	16	51	40	18
65x20	36	16	51	40	18
65x25	42	16	51	40	22

2 Way Angle Box(with cover)




Size (mm)	H (mm)	H1 (mm)	S1 (mm)	S2 (mm)	L1 (mm)
65x16	36	16	51	40	18
65x20	36	16	51	40	18
65x25	42	16	51	40	22

4 Way Cross Box




Size (mm)	H (mm)	H1 (mm)	S1 (mm)	S2 (mm)	L1 (mm)
65x16	36	16	51	40	18
65x20	36	16	51	40	18
65x25	42	16	51	40	22

2 Way Through Box (with cover)




Size (mm)	H (mm)	H1 (mm)	S1 (mm)	S2 (mm)	L1 (mm)
65x16	36	16	51	40	18
65x20	36	16	51	40	18
65x25	42	16	51	40	22

3 Way Tee Box



Size (mm)	H (mm)	H1 (mm)	S1 (mm)	S2 (mm)	L1 (mm)
65x16	36	16	51	40	18
65x20	36	16	51	40	18
65x25	42	16	51	40	22

Plug




Size (mm)	H (mm)
16	8.5
20	9.5
25	10.0

Elbow with Cover



Size (mm)	L (mm)	L1 (mm)	Z (mm)
20	24	20	27
25			
32			
40			
50			

Tee with Cover




Size (mm)	L (mm)	L1 (mm)	H (mm)	Z (mm)
20	69.2	22	31	65
25	69	18	34	71
32	78	18	41	88
40				
50				

Gang Box Cover




Size (mm)
77x77
86x86

Gang Box (with active foot)




Size (mm)	H (mm)	H1 (mm)	S (mm)	S1 (mm)
164x77 ø20x25	38	21	60.2	34
164x77 ø20x20	38	21	60.2	34
164x77 ø20x25	50	21	60.2	34
164x77 ø20x20	50	21	60.2	34

Gang Box(with active foot)




Size (mm)	H (mm)	H1 (mm)	S (mm)	S1 (mm)
77x77/20 20 (Deep)	54	26	60.2	38
77x77/20 20 (Thickened)	43	21	60.2	38
77x77/20 20 (Thickened)	48	24	60.2	38
77x77/20 20	39	21	60.2	38
77x77/20 20 (Deep)	78	24	60.2	38

Gang Box(with active foot)




Size (mm)	H (mm)	H1 (mm)	S (mm)	S1 (mm)
77x77/25 25 (Deep)	54	26	60.2	38
77x77/25 25 (Thickened)	48	24	60.2	38
77x77/25 25 (Deep)	78	24	60.2	38

Deeper Assembling Gang Box (with active foot)




Size (mm)	H (mm)	H1 (mm)	H2 (mm)	S (mm)	S1 (mm)	L (mm)
77x77/20 20 (Deep)	68	21	46.5	63	38	85
77x77/20 25 (Deep)	68	18	46.5	63	38	85

Deeper Assembling Gang Box (with active foot)





Size (mm)	H (mm)	H1 (mm)	S (mm)	S1 (mm)
86x86/20 20 (Deep)	54	20	63	38
86x86/20x25 (Deep)	54	20	63	38
86x86/20 20 (Deep)	43	19	63	38

1 Way Deep Terminal Box (concealed installation)





Size (mm)	H (mm)	H1 (mm)	L1 (mm)	S (mm)	D (mm)	D1 (mm)
65x16	65	18	20	50.2	60.5	77.6
65x20	65	18	20	50.2	60.5	77.6
65x25	65	18	22	50.2	60.5	77.6

Gang Box(with active foot)




Size (mm)	H (mm)	H1 (mm)	S (mm)	S1 (mm)
77x77/20 25 (Deep)	54	26	60.2	38
77x77/20 25 (Thickened)	43	21	60.2	38
77x77/20 25 (Thickened)	48	24	60.2	38
77x77/20 25	39	21	60.2	38
77x77/20 25 (Deep)	78	24	60.2	38

Gang Box(surface installation)




Size (mm)	H (mm)	H1 (mm)	S (mm)	S1 (mm)
86x86/20 20 (Deep)	54	26	60.2	38
86x86/20 20 (Thickened)	43	21	60.2	38
86x86/20 20 (Deep)	50	25	60.2	38
86x86/20 20	50	25	60.2	38
86x86/20 20	40	23	60.2	38

Gang Box(surface installation)




Size (mm)	H (mm)	H1 (mm)	S (mm)	S1 (mm)
86x86/20 25 (Deep)	54	26	60.2	38
86x86/20 25 (Thickened)	43	21	60.2	38
86x86/20 25 (Deep)	50	25	60.2	38
86x86/20 25	50	25	60.2	38

2 Way Deep Through Box (concealed installation)




Size (mm)	H (mm)	H1 (mm)	L1 (mm)	S (mm)	D (mm)	D1 (mm)
65x16	65	18	20	50.2	60.5	77.6
65x20	65	18	20	50.2	60.5	77.6
65x25	65	18	22	50.2	60.5	77.6

2Way Deep Angle Box (concealed installation)




Size (mm)	H (mm)	H1 (mm)	L1 (mm)	S (mm)	D (mm)	D1 (mm)
65x16	65	18	20	50.2	60.5	77.6
65x20	65	18	20	50.2	60.5	77.6
65x25	65	18	22	50.2	60.5	77.6

3 Way Deep Tee Box (concealed installation)



Size (mm)	H (mm)	H1 (mm)	L1 (mm)	S (mm)	D (mm)	D1 (mm)
65x16	65	18	20	50.2	60.5	77.6
65x20	65	18	20	50.2	60.5	77.6
65x25	65	18	22	50.2	60.5	77.6


Installation Instruction of Trunking and Fittings



The features of trunking and fittings

- 1.Beautiful appearance, perfect decorative effect after installation
- 2.The buckle design is scientific and reasonable, easy to open and close, and easy to construct.
- 3.High strength and good toughness. Do not break when nailing with air gun.
- 4.Insulated, flame retardant, safe to use.
- 5.Acid and alkali corrosion resistance, moisture proof, mildew proof, pest control, long service life.

Installation Instruction of Conduit and Fittings



The features of conduit and fittings

- 1.Smooth inside and outside, easy to thread.
- 2.Excellent insulation performance, resistant to 25 kV without breakdown.
- 3.The product is hard to burn. Once the flame is removed, the product is immediately extinguished.
- 4.High strength and good toughness. It can be embedded in concrete and will be not broken during construction.
- 5.Electrical bushings can be bent from 0 to 90 degrees without heating, Very convenient to use.
- 6.Acid and alkali corrosion resistance, moisture proof, mildew proof, pest control, long service life.